



Wildlife Rehabilitator Authorisation Guide

Things you need to know

JUNE 2023

CONSERVATION
REGULATOR VICTORIA

Wildlife Rehabilitator Authorisation Guide

Things you need to know JUNE 2023

Acknowledgement of Traditional Owners

We acknowledge and respect Victorian Traditional Owners as the original custodians of Victoria's land and waters, their unique ability to care for Country and deep spiritual connection to it. We honour Elders past and present whose knowledge and wisdom has ensured the continuation of culture and traditional practices. We are committed to genuinely partner, and meaningfully engage, with Victoria's Traditional Owners and Aboriginal communities to support the protection of Country, the maintenance of spiritual and cultural practices and their broader aspirations in the 21st century and beyond.



Accessibility

If you would like to receive this publication in an alternative format, please telephone the DEECA Customer Contact Centre on 136 186, email customer.service@deca.vic.gov.au, or via the National Relay Service on 133 677 www.relayservice.com.au. This document is also available on the internet at www.wildlife.vic.gov.au

Report produced by the Conservation Regulator

PO Box 500, East Melbourne, Victoria 8002

Telephone 136 186 conservationregulator.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.



© The State of Victoria Department of Energy, Environment and Climate Action 2023

This work is licensed under a Creative Commons Attribution 4.0 International licence. You are free to re-use the work under that licence, on the condition that you credit the State of Victoria as author. The licence does not apply to any images, photographs or branding, including the Victorian Coat of Arms, the Victorian Government logo and the Department of Energy, Environment and Climate Action (DEECA) logo. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

ISBN 978-1-76136-340-5 (pdf/online/MS word)

Contents

The Victorian wildlife rehabilitation system	4	Authorisation conditions	9	Appendix 1 Important contact details for wildlife rehabilitators	32
Purpose of the guide	5	Species not covered by your authorisation	9		
Capacity to care	6	Direction by Authorised Officers	10	Appendix 2 Further information	34
Failure to comply with conditions	7	Assessment and quarantine of wildlife	12	Capture and rescue of injured, sick or orphaned wildlife	34
How to report illegal possession of wildlife and non-compliance	8	Experience in caring for wildlife	13	Basic first aid	35
		Surgical treatment and medication	13	Enclosure size	39
		Euthanasia (destroying) of wildlife	14	Further resources	40
		Disposal of carcasses	18		
		Threatened species	18		
		Enclosure size standards	19		
		Enclosure location and construction standards	25		
		Enclosure care	26		
		Food and water	27		
		Display of wildlife	27		
		Release of wildlife	29		
		Wildlife records	30		
		Other wildlife licenses	31		
		Supervising shelters	31		



The Victorian wildlife rehabilitation system

In Victoria, sick, injured or orphaned wildlife can only be rehabilitated by a wildlife shelter operator or foster carer who is authorised under section 28A of the *Wildlife Act 1975* (Wildlife Act).

Wildlife shelter operators and foster carers are collectively known as wildlife rehabilitators. As a wildlife rehabilitator, you are authorised to acquire, receive, possess, destroy (euthanise) and dispose of wildlife for the purposes of the care, treatment and rehabilitation of sick, injured or orphaned wildlife for release back to the wild.

Your dedication and commitment to Victoria's native wildlife is highly valued by the Victorian Government and the community.



Purpose of the guide

This guide has been developed by the Department of Energy, Environment and Climate Action in consultation with Animal Welfare Victoria, the RSPCA, Zoos Victoria, veterinarians and representatives from the wildlife rehabilitation community.

Wildlife rehabilitators are regulated by conditions that enforce the minimum standards required for the humane treatment and successful rehabilitation of wildlife in care.

This authorisation guide explains the conditions of your authorisation, the objectives of each condition and how you can comply. The advice provided in the **How to comply** sections is not mandatory, but rather provides the suggested method of meeting the conditions. You may choose alternative methods as long as you meet the conditions.

Depending on your specialisations and facilities, your authorisation may include additional conditions that restrict the number or type of species you can care for. Please ensure you read your authorisation conditions carefully. For further information, please contact your local DEECA office ([Appendix 1](#)) or the DEECA Customer Contact Centre on **136 186**.

Information on capture and basic first aid for wildlife is provided in [Appendix 2](#).

The *Victorian Wildlife Rehabilitation Guidelines* have been developed to complement this authorisation guide by providing comprehensive, best-practice practical information, including consideration of the five domains of animal welfare, from first aid to release. The guidelines are available at wildlife.vic.gov.au.



Capacity to care

It is important to consider your capacity before agreeing to take wildlife into care.

The concept of 'capacity to care'¹ refers to your ability to:

- Provide the minimum care and essential needs of rescued native animals
- Have the resources required to appropriately prepare wildlife for release back into the wild.

Please be mindful of your capacity, particularly when there is an influx of wildlife requiring care due to major incidents like bushfire, significant weather events and other natural disasters.

Exceeding your capacity to care for wildlife may result in unacceptable standards and welfare outcomes that do not meet the conditions of your authorisation. Also consider the emotional load required to care for additional animals, and put your own safety and welfare first.

Caring for some young wildlife (e.g. baby birds and joeys) requires significant time commitment and would not be appropriate for those unable to meet their care requirements.

The Conservation Regulator recommends establishing good communication with other wildlife rehabilitators in your area.

If you believe your capacity is exceeded and you are not able to provide adequate care for an animal, it is recommended you contact another wildlife rehabilitator to see if they have capacity to take the animal. If you are not able to find another wildlife rehabilitator who has the capacity to take the animal, then it should be humanely euthanised.

¹ State of Queensland, 2013, Code of Practice – Care of Sick, Injured or Orphaned Protected Animals in Queensland, available from: ehp.qld.gov.au/wildlife/caring-for-wildlife/pdfs/cp-wl-rehab.pdf



Failure to comply with conditions

Failure to comply with the conditions of your authorisation is an offence under section 28B ('Offence of failing to comply with conditions of authorisation') of the *Wildlife Act 1975*.

Failure to comply can result in fines of up to 50 penalty units² (\$9,615.50 as at 1 July 2023).

If you are not complying with the conditions of your authorisation, you may also be committing offences under section 41 ('Hunting, taking or destroying threatened wildlife') and 43 ('Hunting, taking or destroying protected wildlife') of the *Wildlife Act 1975*.

Offences under section 41 carry a penalty of 240 penalty units (\$46,154.40 as at 1 July 2023) or 24 months imprisonment, or both the fine and imprisonment and an additional penalty of 20 penalty units (\$3,846.20 as at 1 July 2023) for every head of wildlife in respect of which an offence has been committed.

Offences under section 43 carry a penalty of 50 penalty units (\$9,615.50 as at 1 July 2023) or 6 months imprisonment, or both the fine and imprisonment and an additional penalty of 5 penalty units (\$961.55 as at 1 July 2023) for every head of wildlife in respect of which an offence has been committed.

² Penalty units are updated by the Department of Treasury and Finance on 1 July each year. As of 1 July 2023, a penalty unit equates to \$192.31.

In addition, the welfare of all animals in Victoria is protected under the *Prevention of Cruelty to Animals Act 1986 (POCTA Act)* under which anyone who commits an act of cruelty or aggravated cruelty is liable for an offence. Failure to comply with some of the conditions of your authorisation may constitute an offence under the *POCTA Act* (for example undertaking surgical treatment on animals in your care).

The penalties for offences under the *POCTA Act* are considerable; fines of up to \$46,230 or jail for up to 12 months for animal cruelty (for individuals), and fines of up to \$92,460.00 or imprisonment for up to two years for aggravated cruelty. Aggravated cruelty is cruelty that causes the death or serious disablement of an animal.

How to report illegal possession of wildlife and non-compliance

If you suspect someone is holding wildlife unlawfully you can report Wildlife Crime to Crime Stoppers on 1800 333 000 or at www.crimestoppersvic.com.au/report-a-crime

To report someone not complying with the conditions of their authorisation, you can report it to your local DEECA office (see [Appendix 1](#)), or via the DEECA Customer Contact Centre on 136 186.





Authorisation conditions

Species not covered by your authorisation

Condition 1

You must not acquire, receive, possess, destroy (euthanise) or dispose of the following wildlife: whales, dolphins, seals, marine turtles, platypus, fish, deer, non-indigenous quail, pheasants and partridges.

Objective

To ensure that wildlife that requires specialist care, treatment and rehabilitation, receives it.

How to comply

Authorised wildlife rehabilitators can rehabilitate most native wildlife indigenous to Australia or its territorial waters. However, whales, dolphins, seals, marine turtles and platypus require highly specialised care facilities and trained personnel to be rehabilitated successfully.

The following actions are recommended if you encounter animals not covered by your authorisation:

Exotic and Pest Animals

(E.g. established pests like foxes and exotic pests like Boa Constrictors, Red Eared Slider Turtles, Hedgehogs, Squirrels and Corn Snakes). You are not authorised to care for, keep, sell or release pest animals. It is an offence under the *Catchment and Land Protection Act 1994* to import, keep or sell pest animals. If you encounter a pest animal, call DEECA on 136 186 to report it.

Introduced wildlife

(E.g. deer, non-indigenous quail, pheasants and partridges). These animals are introduced wildlife in Victoria and must not be rehabilitated and released back into the wild.

Cats and dogs

Call your local council for assistance.

Livestock

(E.g. sheep, goats, cattle). Call your local council for assistance (or police if out of hours).

Whales and dolphins

Contact the Whale and Dolphin Emergency Hotline on 1300 137 017 to report a stranded or injured whale or dolphin.

Seals or marine turtles

Contact the DEECA Customer Contact Centre on 136 186, or the AGL Marine Response Unit on 0447 158 676.

Platypus

Contact Healesville Sanctuary Wildlife Hospital on (03) 5957 2829 to transfer the animal to their care. If this is not available, contact the DEECA Customer Contact Centre on 136 186.

Marine birds

(E.g. penguins, petrels and pelicans). These animals are best cared for in specialised facilities by trained personnel. Wherever possible, in the best interests of the animal, provide all marine birds to the Phillip Island Nature Parks available on (03) 5951 2800, or the Melbourne Zoo via the AGL Marine Response Unit available on 0447 158 676.

Direction by Authorised Officers

Condition 2

You must follow any verbal or written direction of a Conservation Regulator Authorised Officer in relation to any wildlife that you acquire, receive, possess, destroy and dispose of under your authorisation for the purposes of the *Wildlife Act 1975*.

Objective

This is a legislative requirement so that Authorised Officers can ensure the laws, regulations and conditions of your authorisation, that protect animal welfare and biosecurity, are adhered to.

How to comply

Conservation Regulator Authorised Officers are authorised by law to undertake compliance and enforcement activities under the *Wildlife Act 1975* (the Wildlife Act) and other relevant Victorian laws. Some Authorised Officers are authorised under the *Prevention of Cruelty to Animals Act 1986* and so can also enforce the provisions of this Act.

Officer Powers

Under the Wildlife Act, Authorised Officers have the power to, at any reasonable time, and having regard to the circumstances:

- Enter, inspect or search any property and any buildings or structures other than a dwelling, as well as vehicles or boats for the purposes of the Wildlife Act, with or without notice.
- Ask to see, inspect or take photos of any wildlife held under your authorisation or wildlife licence.
- Ask to see, inspect or make copies of record books and any other documentation associated with your authorisation or wildlife licence.
- Inspect any parcel, bag or receptacle the officer reasonably believes either is being used or is likely to be used in contravention of the Act (e.g. a cardboard box they believe holds wildlife; a hunter's bags or esky).
- Investigate reports of alleged illegal activity relating to wildlife.
- Seize wildlife in your care if the officer reasonably believes an offence against the Act has been, is being, or is about to be, committed.

Inspections

Inspections are usually, but not always, conducted by uniformed officers. Officers will always show you official identification. If identification is not offered, you should ask to see it. An Authorised Officer will generally approach you to inform you of the purpose of their visit and seek cooperation.

To enter any part of a premises used only for residential purposes, an Authorised Officer must have permission of the occupier or another person who apparently represents the occupier.

However, as part of your authorisation conditions, upon request from an Authorised Officer, wildlife rehabilitators must give reasonable access to wildlife held under their authorisation, including wildlife being held within your home.

Participating in an inspection does not mean that you have done anything wrong. Inspections are often conducted to monitor general compliance trends among authorisation holders.

Authorised Officers will often arrange a time to meet with you for a routine inspection, however can also inspect your property without notice for the purposes of monitoring compliance with authorisation conditions.

Wildlife rehabilitator rights and obligations

As an authorisation holder, you have certain rights and obligations.

If requested, you must:

- Give the Authorised Officer your name and address.
- Allow an Authorised Officer to inspect wildlife held by you (including inside your house at any reasonable time) for monitoring compliance with the Wildlife Act, regulations or conditions of your authorisation. Failure to provide reasonable access to all wildlife held under a wildlife rehabilitator authorisation may result in the cancellation of your authorisation.
- Produce your authorisation or record book for inspection.
- Allow the Authorised Officer to search your vehicle, boat or property.
- Surrender anything the Authorised Officer tells you is seized.
- Comply with the conditions of any retention notice issued for wildlife in your possession.
- Not obstruct, threaten or abuse an Authorised Officer during his or her duty.
- Under the conditions of your authorisation, follow any verbal or written direction from an Authorised Officer relating to your authorisation.

Your rights

- You may ask to see an Authorised Officer's identification.
- You do not have to answer any questions that you think might incriminate you.
- If you are to be interviewed about an offence, you will be informed of your rights. You must, however, state your full name and correct address if asked.
- You may request a receipt for anything seized from you (including wildlife).
- You may request that an officer visit your home at a more reasonable time.

For further information about compliance and enforcement, wildlife rehabilitators are encouraged to contact a local Conservation Regulator Authorised Officer for assistance.

Assessment and quarantine of wildlife

Condition 3

You must arrange for the health of new wildlife to be assessed as soon as reasonably possible and within 48 hours by a registered veterinary practitioner or a person experienced in diagnosing illnesses, diseases and injuries in the species who has extensive knowledge of current rehabilitation techniques gained through professional training courses and many years of rehabilitating native wildlife, and follow their advice, including the provision of medication.

You must keep records of advice received in accordance with [Condition 23](#) and provide to a Conservation Regulator Authorised Officer on request.

Objective

To ensure that wildlife you receive or acquire is correctly assessed to determine the best possible treatment options. Inaccurate examination can result in undiagnosed or incorrectly treated ailments which can significantly impact on the animal's health and welfare.

How to comply

Establish a working relationship with a local veterinarian willing to provide veterinary care for wildlife. Most wildlife taken into shelters is frightened, stressed, disorientated and may be in pain.

Seek initial advice via telephone if you are in a remote location and cannot immediately get the wildlife assessed.

Some information on capture and basic first aid is provided in [Appendix 2](#).

Condition 4

You must isolate and quarantine wildlife you acquire or receive from other wildlife you possess, prior to a health assessment.

Condition 5

You must isolate and quarantine wildlife that show symptoms of disease or infection from other wildlife you possess.

Objective

To ensure that diseases and parasites are not transmitted between wildlife in care.

How to comply

Prepare separate quarantine enclosures to house individual sick or injured wildlife.

Regularly clean enclosures and equipment with hospital grade disinfectant. Clean quarantine areas last, and don't allow drainage into 'clean' areas. Use quarantine procedures (e.g. disinfectant footbaths, separate protective clothing, equipment disinfection etc.).

Separate treatment and food preparation facilities between quarantine and 'clean' areas. Disinfect hands, footwear and equipment when leaving quarantine areas.

If there is a disease outbreak (e.g. botulism in birds) please report it to the Emergency Animal Disease Hotline on **1800 675 888** (24 hours).

Condition 6

You must not release wildlife from quarantine until a registered veterinary practitioner, a person experienced in diagnosing illnesses, diseases and injuries in the species, as outlined in Condition 3, or a Conservation Regulator Authorised Officer has advised you that release from quarantine is safe.

Objective

To ensure that diseases and parasites are not transmitted between wildlife in care, and to prevent diseases and parasites from being transmitted to wildlife populations from released rehabilitated wildlife.

How to comply

Seek advice and, if possible, a direct assessment of wildlife before releasing them from quarantine.

Experience in caring for wildlife

Condition 7

You must seek advice on the care of any species you acquire or receive that you have not previously cared for as soon as reasonably possible and within 24 hours by a registered veterinary practitioner, a person experienced in its care and treatment, as outlined in [Condition 3](#), or a Conservation Regulator Authorised Officer.

Objective

To ensure rescued wildlife are appropriately cared for and rehabilitated for release back into the wild.

How to comply

Network with other wildlife shelters to get advice and training in the care of species that you are unfamiliar with and to coordinate rescues. Your local Conservation Regulator Authorised Officer can assist you by providing information on shelters in your local area.

It is recommended that you request advice on the care of species in writing (i.e. written or email) to ensure you have a record to provide to Conservation Regulator Authorised Officers on request.

Surgical treatment and medication

Condition 8

You must not undertake surgical treatment on wildlife. Only registered veterinary practitioners can undertake surgical treatment on wildlife.

Subject to [Condition 3](#), you must only administer Schedule 4, 8 or 9 poisons to wildlife, in accordance with the Drugs, Poisons and Controlled Substances Regulations 2017.

Objective

To ensure that only qualified persons undertake surgical treatment of wildlife and provision of restricted medicines.

How to comply

Surgical treatment is “the treatment of injuries or disorders of the body by incision or manipulation, especially with instruments”.

Examples of procedures that must only be conducted by a veterinarian include:

- Anaesthesia or sedation
- Surgery, including setting bones (splinting and plastering of limbs and tails) and suturing skin
- Injections given into veins
- Injections given into bone cavities

If you are not sure whether a procedure would be considered surgical treatment, the following questions should be considered:

- Does it entail entering a body cavity³ of the animal?
- Is there a potential for pain or stress to the animal if it is not done properly?
- Is there potential for unnecessary or inappropriate management or treatment because of misdiagnosis?
- Is there a potential for spreading disease?
- Does it involve decisions on the use of medicines?

If the answer to any of these questions is ‘yes’, then the procedure should be conducted by a registered veterinary practitioner.

Performing surgical treatment on animals is a breach of this condition and an offence under the Wildlife Act. It may also constitute an offence under the POCTA Act.

There are also strict laws that govern the use of veterinary drugs in Victoria. A person can only administer Schedule 4, 8 or 9 poisons, where supplied for the treatment of an animal by a veterinarian. These poisons include certain types of antibiotics, sedatives, muscle relaxants, anaesthetics and anti-inflammatories, amongst others.

Possessing or administering Schedule 4, 8 or 9 poisons without veterinary direction may constitute an offence under the Drugs, Poisons and Controlled Substances Regulations 2017.

³ A body cavity is any ‘hollow space’ or enclosed cavity and includes the abdominal cavity, thoracic cavity, pelvic cavity, cranial and spinal canal, teeth cavities, orbit and eye, tympanic cavity, joint spaces and other synovial cavities

Euthanasia (destroying) of wildlife

Condition 9

You must arrange for the following wildlife to be promptly euthanised:

- Wildlife experiencing unreasonable and/or incurable pain, distress, trauma, sickness or injury; or
- Wildlife (other than species listed as threatened under the *Flora and Fauna Guarantee Act 1988*) that have lost limbs or function of limbs, including tails; or
- Wildlife (other than species listed as threatened under the *Flora and Fauna Guarantee Act 1988*) that are likely to require extended periods in captivity to be rehabilitated; or
- Wildlife (other than species listed as threatened under the *Flora and Fauna Guarantee Act 1988*) that show clinical signs of disease which fail to respond in the expected timeframe to an appropriate treatment regime; or
- Wildlife (other than species listed as threatened under the *Flora and Fauna Guarantee Act 1988*) that are unlikely to survive or integrate in the wild; or
- Wildlife (other than species listed as threatened under the *Flora and Fauna Guarantee Act 1988*) that have permanent vital sensory loss (hearing, sight, smell) or permanent damage to their nervous system; or
- Wildlife (other than species listed as threatened under the *Flora and Fauna Guarantee Act 1988*) that require euthanasia under Condition 22; or
- Marsupials that are un-furred with eyes closed and ears down.

Objective

To prevent animals experiencing extended or significant pain and to ensure that injured, sick and orphaned wildlife can be successfully rehabilitated and released back into the wild.

Threatened species are a priority for rehabilitation and therefore are exempt from some of the euthanasia requirements, as listed above. However, threatened species experiencing unreasonable and/or incurable pain, distress, trauma, sickness or injury must be promptly euthanised in accordance with [Condition 10](#) and [Condition 11](#).

How to comply

Euthanise wildlife that you receive or acquire that will continue to experience declining animal welfare if it remains alive. For example, the following must be euthanised:

- Wildlife that have an incurable (able to be treated but not cured) infectious disease.
- Wildlife that are unable to adjust to temporary care
- Wildlife with chronic ill health.

Wildlife should be released from care as soon as possible after rehabilitation. While some injuries take time to heal, long periods in captivity can place significant stress on wildlife and result in the loss of survival skills, increased familiarity and dependence on humans, a loss of instinctual fear of domestic pets and the risk that the wildlife's space in the wild will become occupied. The sooner wildlife can be rehabilitated and released, the greater their chance of survival.

Wildlife must be fully rehabilitated before being released. The risks of releasing wildlife not fully rehabilitated include starvation because they don't know how to locate food, harassment and competition from other animals, injuries or death from interactions with hostile resident wildlife or predators (e.g. cats) that they don't know to fear, or exposure to the elements due to their inability to find shelter. If wildlife is unable to be rehabilitated the responsible decision (although difficult) is to euthanise it to prevent further pain.

Before attempting to rehabilitate an animal, the long-term welfare of the individual must be carefully considered. The stress of treating the animal must be justified, taking into consideration resource availability and potential for future population management at the release site.

Hand-rearing young

Although hand-rearing young animals can be a rewarding experience, it should be carefully considered as it may not be the most humane option for the animal in the long-term.

Survival rates of very young animals that come into care are low. This is particularly true for mammals who are not developed to a stage where their eyes are open, ears are up, or have not yet developed fur.

It is difficult for marsupials of this development stage to develop a strong immune system without their mother. Attempts to hand-rear marsupials at this development stage often results in abnormalities of their immune system. This compromises the health and wellbeing of the animal as it is unable to defend itself sufficiently against infection and the development of disease.

Hand-reared animals also have a higher death rate in the wild than wild animals, as it is very difficult for humans to teach young animals all the necessary survival skills and behaviours. This means that once the animal is released it may struggle to integrate into wild populations or be disadvantaged when competing for food, territory and mates. Hand-reared animals often fall prey to predators, as they have not learnt to recognise predators such as dogs and foxes and therefore do not have the appropriate flight response to escape.

Hand-reared animals may also become dangerous as adults. Due to their familiarity with humans, they may attack people if they think the person has food.

Condition 10

You must arrange for wildlife to be euthanised, in accordance with [Condition 9](#), by a registered veterinary practitioner where it is practical to do so.

You must euthanise wildlife promptly, in accordance with [Condition 11](#), where it is impractical to take the wildlife to a registered veterinary practitioner.

You must never release wildlife requiring euthanasia, in accordance with [Condition 9](#), back into the wild.

Objective

To ensure the timely and humane euthanasia of sick, injured or orphaned wildlife that should not be rehabilitated.

How to comply

Overdose by a barbiturate anaesthetic is the preferred method of euthanasia and, under the requirements of the *Veterinary Practice Act 1997* and the *Drugs, Poisons and Controlled Substances Regulations 2017*, must only be performed by registered veterinary practitioners.

Registered veterinary practitioners should be utilised where euthanasia is required wherever possible, however you should also ensure that you are able and prepared to euthanise wildlife in accordance with [Condition 11](#) when required.



Condition 11

You must use a euthanasia method that results in immediate loss of consciousness followed by death. You **must not** use the following euthanasia methods:

Hypothermia	(E.g. placing the animal in a freezer). Many animals are still able to feel pain when undergoing hypothermia, but are unable to respond to this pain (i.e. by moving away). Freezing results in ice crystals in tissues that cause extreme pain before the animal dies.
Air embolism	(E.g. injection of air into the veins). Causes unacceptable pain.
Carbon dioxide (CO₂)	Causes extreme levels of fear, distress and discomfort for animals.
Carbon monoxide (CO)	(E.g. car exhaust). Causes extreme levels of fear, distress and discomfort.
Chloroform	Dangerous and toxic hepatotoxin (damages the liver). It is highly irritating to animals.
Ether	Highly irritating to mucous membranes of animals. Its administration is highly distressing.
Chemicals	(E.g. cyanide or strychnine). Extremely dangerous, slow acting, and causes violent convulsions, pain and distress.
Suffocation	Causes extreme levels of fear, distress and discomfort for animals.
Drowning	Slow acting and causes extreme levels of fear, distress and discomfort for animals.
Exsanguination	(Cutting the throat and bleeding out). Cannot be used as a sole method of euthanasia as it causes pain and fear in animals.

Objective

To ensure that only appropriate methods of euthanasia are used to minimise pain, discomfort and distress.

How to comply

Euthanasia is a core role of wildlife rehabilitators, and is an important tool in ensuring the welfare of wildlife. Ensure that you only use humane and safe methods when you are undertaking euthanasia of wildlife.

Euthanasia should be carried out in accordance with relevant codes of practice (e.g. the National Code of Practice for the Humane Shooting of Kangaroos and Wallabies for Non-commercial Purposes).

The method of euthanasia must quickly render the animal unconscious, rapidly followed by death. The animal can be stunned and rendered unconscious by a hard, sharp blow to the skull. Stunning must be followed immediately by either blunt force trauma that destroys the brain, cervical dislocation, decapitation or exsanguination. The method used must be appropriate for the size and species of the animal. Ensure that you have received appropriate training in the method of euthanasia before attempting to euthanise an animal.

Contact an experienced wildlife rehabilitator for assistance if a veterinarian is not available and you are unsure of your ability to safely and humanely euthanise an animal.

Euthanasia via firearms

Firearms are an acceptable method of euthanasia, but should only be used when safe to do so. Firearms must only be used by holders of an appropriate firearms licence, in accordance with the *Firearms Act 1996*. Depending on the location, a Public Place Permit ([police.vic.gov.au/public-place-permits](https://www.police.vic.gov.au/public-place-permits)) from Victoria Police may be required.

Wherever possible when using firearms for euthanasia, wildlife should be euthanised by a shot to the brain. Where a shot to the brain is impractical or unsafe, a shot to the heart/lung area is permissible.

Injured wildlife may be euthanised safely via firearm by local police.

Roadside euthanasia of injured wildlife

If injured wildlife are found on or near a road and require euthanasia then the method of euthanasia needs to be carefully considered.

Under Section 130 of the *Firearms Act 1996*, it is an offence to carry or use a firearm on any thoroughfare or place open to or used by the public for passage with vehicles. You may choose to apply for a Public Place Permit (police.vic.gov.au/public-place-permits) from the Victoria Police to allow the use of a firearm on or near a road by a person with a firearms licence. However, the decision of whether to grant a Public Place Permit is up to the discretion of the Victoria Police. The application process is also unlikely to be completed in an appropriate timeframe for humane euthanasia of the injured wildlife using a firearm.

Other options that could be considered include:

- Capture and transport of the injured wildlife to another location for euthanasia with a firearm.
- Contact Victoria Police for assistance.
- Contact a registered Veterinary Practitioner for assistance.
- Contact Victoria Police or the road manager (the Shire or VicRoads) if it is a road hazard.
- Euthanasia by blunt force trauma. This should be done away from the view of the public if possible. This must be done by a heavy blow to the base of the skull with sufficient force to destroy the brain. Please note that large kangaroos can be very difficult to euthanise using this technique.

Confirmation of euthanasia

Examine all euthanised wildlife carefully to confirm that it has died before disposing of the carcass. To check that death has occurred, ensure you check all the following (in sequential order):

Heart has stopped beating

Check for at least 20 seconds, don't use your thumb as you may detect your own pulse. The best place to feel varies among species, seek veterinary advice if unsure:

Wildlife is not breathing	Check for a minimum of 20 seconds.
Gum colour is grey/white	Only applies to mammals.
Corneal reflex	No blink in response to lightly touching the cornea (the middle of the eye).
Pupil size	In dead animals both pupils are very large and unresponsive to light.
Pinch reflex	Firmly pinch skin between toes or nostrils, there should be no response if animal is dead.

Employ a second euthanasia method if there is any doubt about confirmation of death.

Reptiles, turtles, and amphibians are remarkably resilient and can remain inert for hours, especially when in distress. To ensure euthanasia, place the animal in a secure place after euthanasia and check for movement periodically over the course of 24 hours (if necessary draw a chalk outline around the body).



Disposal of carcasses

Condition 12

You must dispose of the carcasses of wildlife euthanised by barbiturates, bat carcasses and the carcasses of wildlife infected by mange by incineration or burial to a depth of 60cm to prevent scavenging by other animals. Carcasses must not be buried within 100 metres of a waterway to avoid contamination.

Objective

To prevent secondary poisoning and spread of disease to other animals and people.

How to comply

Carcasses of wildlife euthanised by barbiturates should be disposed of via burial or incineration to prevent secondary poisoning by scavengers (e.g. dogs, ravens, hawks).

Australian Bat Lyssavirus (ABLV) may be present in bats. Euthanised bats (including any secretions and excretions) should be disposed of via incineration or, if this is not possible, by burial. Handle all animals with care and wear personal protective equipment to avoid potential ABLV exposure.

The carcasses of wildlife infected with sarcoptic mange (e.g. koalas or wombats) must be disposed of by burial or incineration to ensure other animals do not become infected by mange.

Please note that some wildlife shelters are authorised to variation of [Condition 12](#) in lieu of licensed arrangements for third party disposal.

Threatened species

Condition 13

You must notify your local Conservation Regulator Authorised Officer if you acquire or receive wildlife that is listed as threatened under the *Flora and Fauna Guarantee Act 1988*, within 48 hours of acquiring or receiving a threatened wildlife species.

Objective

The fate of individual animals can have serious impacts on the conservation of threatened species. Any threatened species entering rehabilitation can provide useful information to DEECA about population dynamics and threats to the species. If the wildlife is unable to be rehabilitated, the Conservation Regulator may arrange for it to be placed into a captive-breeding program or a zoological institution.

How to comply

A list of threatened species under the *Flora and Fauna Guarantee Act 1988* is available on the DEECA website at environment.vic.gov.au/conserving-threatened-species/threatened-list.

You must notify your local Conservation Regulator Authorised Officer immediately if you receive or acquire a threatened species. Please contact your local Conservation Regulator Authorised Officer if you are unsure of an animal's conservation status – please see contact list in [Appendix 1](#).



Enclosure size standards

Condition 14

You must keep wildlife in enclosures that meet the following sizes.

Birds

In the design of any bird enclosure, the ratio between the lengths of the two longest straight lines which can be described on the floor of the cage and at right angles to each other shall not exceed 4:1 unless the shorter of those two lines is at least 900mm long. The length of this line should be at least twice the span of the wings of the largest bird to be kept in the cage.

Bird enclosures with floor area exceeding 20,000cm² must be of a minimum height of at least 150cm and allow access for physical entry. The minimum length and width of any enclosure should be at least twice the length of the largest bird in the cage.

Provide wooden perches of a diameter and length to allow every bird in the enclosure to perch comfortably. Perches should not unduly impede flight or be placed above other perches or food and drink containers.

Table 1 Birds – Indoor aviaries/cages

SIZE OF BIRD APPROXIMATE LENGTH		MINIMUM FLOOR AREA PER BIRD	MINIMUM HEIGHT	INCREASED FLOOR AREA PER ADDITIONAL BIRD
100mm (10cm)	Zebra Finches	1,000cm ²	34cm	500cm ²
200mm (20cm)	Neophemas	1,600cm ²	34cm	800cm ²
	Budgerigars			
	Lorikeets Except Rainbow and Red Collared			
300mm (30cm)	Rosellas	5,000cm ²	90cm	2,500cm ²
	Cockatiels			
	Rainbow Lorikeets			
	Bronzewing Pigeons			



Table 2 Birds – Outdoor enclosures

SIZE OF BIRD APPROXIMATE LENGTH		MINIMUM FLOOR AREA PER BIRD	MINIMUM HEIGHT	INCREASED FLOOR AREA PER ADDITIONAL BIRD
100mm (10cm)	Zebra Finches	3,700cm ²	60cm	1,800cm ²
200mm (20cm)	Neophemas	7,200cm ²	60cm	3,600cm ²
	Budgerigars			
	Lorikeets Except Rainbow and Red Collared			
300mm (30cm)	Rosellas	10,000cm ²	90cm	5,000cm ²
	Cockatiels			
	Rainbow Lorikeets			
	Bronzewing Pigeons			
400mm (40cm)	King Parrots	15,000cm ²	90cm	7,500cm ²
	Princess Parrots			
	Superb Parrots			
	Galahs			
	Long billed Corellas			
500mm (50cm)	Sulphur Crested Cockatoos	25,000cm ²	150cm	12,500cm ²

Outdoor enclosures should be constructed in a way that every bird is able at all times to perch or roost in a place that is sheltered from the wind, rain and sun; whether by solid construction or cladding on the roof and walls, or by roosts covered by dense vegetation within the enclosure. If by solid construction or cladding of roof and walls, at least one-third of the total area should be covered; including a continuous area of three walls to form a shelter against winds. At least three-quarters of the area of one wall should be open weave mesh. The minimum height to the top of the enclosure should not be <1.5m above ground level to allow birds to escape harassment by predators.




Table 3 Wading Birds

SIZE OF BIRD		MINIMUM FLOOR AREA	INCREASED FLOOR AREA FOR EACH ADDITIONAL BIRD	MINIMUM HEIGHT	MINIMUM SURFACE AREA OF WATER
Large birds	Swans	50,000cm ²	25,000cm ²	150cm	2,000cm ²
	Pelicans				
	Brolgas				
	Albatross				
Small birds	Wild Ducks	25,000cm ²	12,500cm ²	150cm	1,000cm ²
	Cormorants				
	Water Hens				
	Hérons				

Wading Birds require shallow areas providing soft substrate and natural feeding opportunities. Failure to provide these conditions may lead to chronic foot problems.



Table 4 Reptiles

TYPE OF WILDLIFE		MINIMUM FLOOR AREA	MAXIMUM NUMBER OF ANIMALS	MINIMUM HEIGHT	INCREASED FLOOR AREA FOR EACH ADDITIONAL ANIMAL
Tortoises	<10cm length	1,600cm ²	1	20cm	400cm ²
	>10cm length	20,000cm ²	1	20cm	10,000cm ²
Snakes	Small terrestrial of <60cm in length E.g. adult Little Whip or juvenile Pythons	1,800cm ²	2	30cm	900cm ²
	Less than 1.2m in length E.g. Children's Python, Tiger Snake and Copperhead	4,000cm ²	2	50cm	2,000cm ²
	Less than 2.5m in length E.g. Eastern Brown, and Taipan King Brown	15,000cm ²	1	120cm	7,500cm ²
	Tree snakes up to 1.2m in length	4,800cm ²	2	80cm	2,400cm ²
	Large Pythons up to 2.5m in length E.g. Diamond Python, Carpet Python, Water Python and Amenthystines	20,000cm ²	1	150cm	10,000cm ²
	Skinks	10,000cm ²	1	100cm	5,000cm ²
Lizards	Dragons				
	Water Dragons				
	Goannas	45,000cm ²	1	200cm	20,000cm ²

Heating in reptile enclosures is essential – the temperatures needed will depend on the species of reptile and its natural environment. Snakes longer than 2.5 metres require a minimum area of half their length squared.

Table 5 Mammals

TYPE OF WILDLIFE	MINIMUM FLOOR AREA	MAXIMUM NUMBER OF ANIMALS	MINIMUM HEIGHT	INCREASED FLOOR AREA FOR EACH ADDITIONAL ANIMAL
Hopping Mice	1,400cm ²	1	25cm	700cm ²
Dunnarts	2,000cm ²	1	25cm	1,000cm ²
Kowaris	3,000cm ²	1	30cm	1,500cm ²
Antechinuses				
Mountain Pygmy Possums				
Small Quolls	10,000cm ²	1	50cm	5,000cm ²
Feathertail Gliders	2,500cm ²	6	100cm	1,000cm ²
Tuans	2,500cm ²	2	100cm	1,000cm ²
Leadbeater Possums				
Sugar and Squirrel Gliders				
Ringtail Possums				
Brushtail Possums	10,000cm ²	1	200cm	5,000cm ²
Potoroos and Bettongs	20,000cm ²	2	200cm	10,000cm ²
Tiger Quolls	20,000cm ²	1	200cm	10,000cm ²
Yellow Bellied and Greater Gliders				
Juvenile Kangaroos and Wallabies less than 5 kg				
Echidnas and Koalas				
Wallabies greater than 5kg	50m ²	1	200cm	25m ²
Kangaroos less than 20kg				
Wombats				
Kangaroos greater than 20kg	100m ²	1	200cm	50m ²

Table 6 Nest boxes

TYPE OF WILDLIFE	MAXIMUM NUMBER OF ANIMALS	MINIMUM LENGTH	MINIMUM WIDTH	MINIMUM HEIGHT	OPENING DIAMETER
Dunnart	6	14cm	12cm	10cm	32mm
Pygmy Possum					
Feathertail Glider					
Antechinuses					
Kowari	1	25cm	17cm	11cm	50mm
Hopping Mice	6	25cm	17cm	11cm	50mm
Mountain Pygmy Possum	2 adults, or Mother and young	25cm	17cm	11cm	50mm
Tuan	1 adult, or	25cm	17cm	11cm	50mm
Sugar Glider	Breeding pair, or				
Squirrel Glider	Family group				
Leadbeater Possum					
Ringtail Possum	1	20cm	25cm	43cm	65mm
Yellow Bellied Glider					
Brushtail Possum	1	25cm	30cm	55cm	85mm
Great Glider					
Quolls					
Wombat	1	55cm	120cm	50cm	-

Leadbeater's Possums, Sugar Gliders and Squirrel Gliders prefer nesting in family groups. A choice of two boxes is recommended to accommodate individuals ejected after social disputes.

Objective

To ensure that wildlife undergoing rehabilitation are contained in appropriately sized enclosures that minimise stress and allow free movement and natural behaviours.

How to comply

The specifications give the minimum enclosure sizes for wildlife held under the authorisation. Enclosures must meet or exceed the specifications. Further information about how to calculate the floor area and identify the height, width, length, radius and diameter of some common shapes as well as some worked examples are provided in [Appendix 2](#).

The minimum enclosure sizes provided in the condition are applicable for the majority of instances that wildlife require care. In certain circumstances, the objective of care may be to minimise movement, and a smaller enclosure may be needed. If this is the case, ensure that you can justify the need (for example with written advice from a veterinarian) and that the justification and stage of rehabilitation are clear in your records.

Enclosure location and construction standards

Condition 15

You must keep wildlife in enclosures that separate wildlife from domestic animals so that wildlife in your care do not see, hear or smell domestic animals.

Condition 16

You must keep wildlife in enclosures that separate wildlife from human living spaces (i.e. in a room dedicated to wildlife rehabilitation) and ensure wildlife are only handled justifiably by those involved in its care.

Condition 17

You must keep wildlife in enclosures that:

- Prevent escape
- Minimise disturbance to the enclosed wildlife
- Allow for its movement
- Allow for its physical characteristics and natural behaviours
- Provide sufficient space for each individual animal
- Is secure and comfortable
- Provide protection from the weather with shelter
- Protect it from harm
- Minimise unnatural sights and sounds
- Provide it with either natural daylight or full spectrum light that mimics natural light/dark cycles
- Separates it from wildlife that may be incompatible
- Are not exposed to strong vibrations, noxious smells (e.g. wood smoke) or loud noises (e.g. radios and televisions).

Objective

Enclosures that protect wildlife from disturbance and allow natural behaviours during rehabilitation are essential for animals to learn/relearn the behaviours necessary for them to survive in the wild post-release. Security and comfort decreases stress and hastens recovery.

Protection from harmful external factors is essential to maintain welfare and to prevent a health decline. Separation from the sight, sound and smell of domestic animals is essential, as it prevents transmission of disease and infections, prevents stress, and ensures that the wildlife's natural instinct to recognise and avoid predators (e.g. dogs and cats) is maintained.

How to comply

Enclosures should provide opportunities for complete recovery from injuries and for learning and practicing behaviours such as foraging, hunting, climbing or flying.

Wildlife must not be kept in human living spaces such as the kitchen, lounge room or bedroom, and should only be handled when necessary to avoid trauma, stress, or the wildlife becoming humanised. Relatives, friends and visitors must not handle wildlife unless volunteering at the shelter and the handling is necessary for the care of the animal. Taming reduces the survival chances of rehabilitated wildlife on release. Wildlife is often not suitable for release if it doesn't display instinctual fear and avoidance towards humans and domestic pets.

Enclosures must not be on public display, must be kept away from people and domestic animals, and sheltered from the weather. Noise should be minimised and enclosures must be kept clean, hygienic and clear of obstacles or hazards. Wildlife that form social groups in the wild should be housed with wildlife of an appropriate age and gender of the same species. Wildlife should be individually identifiable when housed together.

Avoid mixed-species housing whenever possible and, when mixed-species housing is necessary (such as in pre-release bird aviaries), ensure only compatible species are housed together. New additions to a wildlife group should be monitored closely for the first few days to ensure the safety of these animals and other individuals.

Enclosure design and furnishings should encourage the species' natural pattern of foraging, play, rest or sleep, hiding, and social responses of other individuals of the same species.

Enclosures should:

- Be free from dangerous obstructions such as sharp points or edges
- Provide fresh air in a manner that avoids drafts, odours and water condensation
- Not be stacked in such a way that good ventilation is impaired
- Be well drained.

Indoor enclosures should be in rooms able to provide both heating and cooling; they should be kept well separate from normal household activity to ensure wildlife in care are not disturbed.

Outdoor enclosures need to provide for acclimatisation to weather, but also provide shelter from sun, wind and rain and protection from predators.

Solid physical barriers are the best way to keep animals (i.e. domestic and incompatible wildlife) separate.

Wire cages used to house birds should be covered internally with shade cloth or other appropriate material to prevent feather damage.

Enclosure care

Condition 18

You must maintain enclosures and equipment in a safe and clean condition that:

- Are hygienic and prevent pest infestation, odours and disease hazard,
- Are disinfected after previous use
- Are structurally sound and free from materials that could injure or be detrimental to the wildlife
- Have excreta, uneaten food and soiled materials removed daily and disposed of in accordance with local laws.

Objective

Wildlife entering rehabilitation are often stressed, injured or sick, and are therefore more susceptible to disease. Care facilities, enclosures and equipment must be kept in a sanitary condition to attempt to eliminate the chance for transmission of disease and parasites between wildlife.

How to comply

Ensure that all aspects of enclosures and housing, including nest boxes, bedding, substrate, perching, food and water bowls, are kept in a clean and hygienic condition.

Enclosures should be constructed to allow for easy cleaning and minimal handling of the wildlife. Ensure that the enclosures are structurally sound and constructed of materials that will not injure or be detrimental to the wildlife and are non-porous and waterproof to facilitate cleaning and disinfection. Disinfection can only be ensured when organic material has been completely cleaned off equipment and surfaces first.

Excreta, uneaten food and soiled materials should be removed at least daily, and should be disposed of in accordance with local laws and in a way that limits any access by other animals, in order to minimise pest infestation, odours and disease hazards.

Food and water

Condition 19

You must provide wildlife in your care with food and water:

- That meets the animal's dietary and nutritional requirements
- In a manner suitable for the rehabilitation of the species
- That is fresh and clean and stored in a manner that prevents spoilage or contamination

Objective

To ensure wildlife in care obtain a diet of sufficient nutrition, and that allows them to recover, aiding their rehabilitation and eventual release back to the wild.

How to comply

Ensure that you know the dietary and nutritional requirements of the species that come into your care. Diet refers to the type and amount of food the wildlife generally eat; nutrition refers to the nutrients and other substances required by the wildlife. These may alter depending on the age of the wildlife, its injuries and its treatment.

If you are unsure of the requirements of wildlife that comes into your care, check [Further resources](#), check [Appendix 1](#), seek advice from a registered veterinary practitioner or a wildlife shelter authorisation holder experienced in the species (e.g. Healesville Sanctuary Wildlife Hospital), or contact your local Conservation Regulator Authorised Officer.

Provide food and water at a frequency, quality and level appropriate to the species. To prevent transmission of disease, food and water should not be accessible to other animals.

Display of wildlife

Condition 20

Wildlife in your care must not be physically displayed to any person unless they are involved in the necessary care of that wildlife – that is, a registered veterinarian or a regular volunteer. Any physical display outside of these circumstances requires prior written approval from the Conservation Regulator. Photography and videography by the authorisation holder, registered veterinarian or regular volunteer does not require prior written approval.

Objective

The primary goal of rehabilitation is to restore sick, injured or orphaned wildlife to full health and return them as quickly as possible to the wild.

This condition is in place to prevent wildlife from becoming familiar with humans. Several studies have shown that human familiarity and habituation can impact the ability of wildlife to survive in the wild post release. Stress caused by prolonged exposure to humans can also significantly impact on wildlife health and the ability to recover during rehabilitation.

How to comply

Display means showing the actual animal to a person. Display does not include photography, video and sharing of images on social media, where taken in line with this condition. Only show wildlife under your care to a registered veterinarian or a regular volunteer as needed for their care. Ensure that only those authorised to care for wildlife and directly involved in caring for wildlife held under your authorisation have access to areas in which the wildlife is being held and the wildlife themselves.

No prior written approval from the Conservation Regulator is required for photography, including video and sharing of images on social media and for fundraising activities, provided the below criteria are met:

- Photographs must only be taken by the authorisation holder or regular volunteers, of animals in their care. For example, an authorisation holder may ask a regular volunteer to photograph an animal while they are providing necessary care.
- No one other than the authorisation holder, vet or regular volunteers may be present or may handle wildlife in your care. A volunteer is considered a person who regularly takes care of wildlife at that address on behalf of and/or as directed by the authorisation holder.
- Disturbance must be kept to a minimum.
- Photography must be taken in an appropriate care setting, e.g. within a suitable enclosure.
- Photography must cease immediately if an animal shows signs of stress.

The Conservation Regulator strongly discourages any activity that causes unnecessary stress to animals being rehabilitated. The following are not appropriate under any circumstances:

- Photographs must not be staged in any way.
- Under no circumstances should animals be dressed in costumes.
- Flash photography or excessive artificial light for display or photography.
- Wildlife that require euthanasia should never be photographed or filmed, and their care must be attended to immediately in line with conditions 9, 10 and 11 of your authorisation.
- Wildlife must not be taken off-site to any location other than for vet care or for transfer to another facility for care or release to the wild upon successful rehabilitation.

Remember that under [conditions 15, 16](#) and [17](#) of your authorisation, you must keep wildlife in suitable enclosures, separate to domestic animals and human living spaces.

Where the media is seeking an interview with an authorisation holder, provided that no images or video are taken of wildlife, the media may interview an authorisation holder without any prior written approval from the Conservation Regulator. Note that any interview must occur in a way that meets the above conditions and does not disturb any wildlife in care.

When is prior written approval required?

All applications for prior written approval to display wildlife must be submitted via an online form and may take up to 14 days to assess. You will need to specify the reason for the display, the animal that will be displayed, its injuries and treatment, when and where the display will occur. You will be notified in writing of the outcome of your request to display wildlife in your care.

Note that the Conservation Regulator will not issue approval to display wildlife retrospectively. Prior written approval must be obtained.

As a guide, prior written approval is required for the following:

- Filming or photography undertaken by a third party for any reason including print, television or social media. For example, where the media would like to take photos or video of wildlife under rehabilitation, prior written approval from the Conservation Regulator is required.
- Attendance at your address of a person not directly involved in the care of the wildlife, to show them the wildlife, for any reason including education or tourism.

Approval may be granted to display wildlife undergoing rehabilitation in a manner outside the criteria outlined above, if the disturbance is minimal and displaying of wildlife is found to be in the public interest.



Application for approval to display wildlife – Shelter or Foster carer

vic.gov.au/wildlife-rehabilitation-shelters-and-foster-carers



Release of wildlife

Condition 21

You must release wildlife within 24 hours of it being ready for release and where it was found if it is a suitable location. A suitable location for release is one that:

- Provides appropriate habitat and adequate food resources
- Is occupied by members of the same species for social species to enable interaction
- Has low risk of injury to the animal.

You must release wildlife in the closest suitable location if the location where it was found is not suitable, but within the home range and without releasing it across a boundary that it would not normally pass or further than it would move ordinarily.

Condition 22

You must euthanise wildlife that cannot be released.

Objective

To ensure that released wildlife are given the best possible chance for survival, protect animal welfare, and limit possible detrimental effects from the released wildlife on the ecology of the release site.

How to comply

The further away from the point of capture that rehabilitated wildlife is released, the less likely it is that it will survive. This can be due to a range of factors including lack of appropriate habitat, increased numbers of predators, differing social structures (e.g. 'dominant' wildlife already present in the release area harassing the released wildlife) or lack of an existing population (i.e. for social species).

The release of wildlife outside their known individual range is not allowed due to animal welfare concerns and the significant risks such releases pose to resident populations through genetic contamination, disease and parasite spread, and negative impacts on their social structure.

To prevent disease transmission and to protect animal welfare, wildlife must be released within the individual animal's home range of the original capture site. If the site is unknown/unsuitable, then the animal must be euthanised.

The home range (also known as 'territory') of an animal refers to the area in which an animal lives and travels. The size of an animal's home range varies between species. For more information on home ranges for specific species, rehabilitators can refer to information available in reference books or through internet sources, including those found in [Further resources](#).

[Further resources](#)

To assist in determining fitness for release, wildlife is ready for release when it:

- Exhibits full recovery from the original injury or illness
- Has no permanent physical impairment that may affect its chances of survival in the wild
- Is able to tolerate outside conditions and its natural food sources
- No longer requires medical care
- Exhibits no signs of active disease
- Has fur, plumage or waterproofing (where applicable) that is adequate for that species to survive

- Has adequate vision to find and catch food and manoeuvre in a normal manner
- Exhibits locomotive skills necessary for that species to survive
- Exhibits normal behaviour responses (i.e. an instinctual fear of humans and predators, able to forage and process food, find or construct shelter, mark its territory and move across the landscape with confidence)
- Is of correct age for independent survival
- Is of correct weight for that sex, species, age and season
- Has been checked by a veterinarian/person experienced in the species for any diseases that may be transmitted to native populations and been cleared.

Ensure the release site has suitable habitat, water and food, and is free from any dangers (e.g. busy roads). Do not release wildlife during extremes of weather or outside the usual active times for the species (e.g. nocturnal wildlife during the day). Some animals are best released into an existing social structure (e.g. flocking birds such as corellas). Wildlife that require hollows should be released with a temporary nest box to reduce the chance of predation.

Wildlife records

Condition 23

You must record accurate and up-to-date information in relation to all wildlife that you receive, acquire, possess, destroy (euthanise), and dispose of. These records must:

- Be recorded on Conservation Regulator Wildlife Record Sheets or in a manner approved in writing by the Conservation Regulator
- Record the species, when it was found, where it was found, a summary of its injuries/condition, the cause of its injury/condition (if known), its fate (if known) and the location and date of release (if applicable)
- Record details of veterinary assessment and advice
- Be kept for a three-year period
- Be available for inspection by a Conservation Regulator Authorised Officer without delay.

Objective

To ensure that adequate records are kept documenting wildlife that have entered care, their original rescue location, the reason for their admission and the fate of the wildlife. This information is vital to keep accurate case histories, track emerging trends or threats to wildlife populations and provides useful data for rehabilitators, DEECA, veterinarians and research organisations.

How to comply

Keep up-to-date records of the wildlife held under your authorisation and maintain them in a form that can easily be examined and understood. The best way to do this is to record the details of the wildlife the same day it is admitted into your care. If the wildlife is brought to you by another authorisation holder or member of the public, ask them for all the relevant details.

Copies should be made in case the original records are lost. Additional information useful to keep includes treatment details (e.g. medication requirements), feeding and toileting details, and any other relevant information.

Please note

You are no longer required to submit your records to the Conservation Regulator each year. However, you are still required to keep these records and make them available to an Authorised Officer upon request.

Other wildlife licenses

Condition 24

Wildlife that you receive, acquire, or possess under this authorisation must be physically separated from any wildlife held under a private or commercial wildlife licence.

Objective

This condition is in place to help prevent disturbance to wildlife from captive wildlife; disease transmission from wildlife to captive wildlife and vice-versa; and wildlife undergoing rehabilitation learning imprinted behaviours from captive wildlife.

How to comply

If you hold a separate wildlife licence, ensure that all wildlife kept under that license is kept completely and physically separate, preferably in a different building. See [Condition 20](#) for restrictions on the display of wildlife.

Supervising shelters

Foster Carer Authorisation additional condition

Condition 25

Foster carers must notify the shelter operators they are registered under within 24 hours after receiving or acquiring wildlife.

Objective

It is important for shelters to keep track of the wildlife held by their foster carers to provide guidance and support, and to keep accurate records.

How to comply

Notify your supervising shelter of any wildlife that is brought into care and the details of the care required. If you are unsure of the care requirements of the species, you must seek advice and assistance from your supervising shelter to ensure that the animal is cared for appropriately.





Appendix 1 Important contact details for wildlife rehabilitators

Table 7 Contact details for DEECA offices

DEECA Customer Contact Centre			136 186	customer.service@deeca.vic.gov.au
Barwon South West Region	Geelong	30 Little Malop Street, Geelong VIC 3220	03 5226 4667	barwonsouthwest.cr@delwp.vic.gov.au
	Warrnambool	PO Box 105, Warrnambool VIC 3280	03 5561 9946	
Gippsland Region	Bairnsdale	574 Main Street, Bairnsdale VIC 3875	03 5152 0400	gippsland.cr@delwp.vic.gov.au
	Traralgon	71 Hotham Street, Traralgon VIC 3844	03 5172 2111	
Grampians Region	Ballarat	402-406 Mair Street, Ballarat VIC 3350	03 5336 6856	grampians.cr@delwp.vic.gov.au
	Horsham	110 Natimuk Road, Horsham VIC 3400	03 5362 2111	
Hume Region	Alexandra	5 Binns McCrae Road, Alexandra VIC 3714	03 5772 0200	hume.cr@delwp.vic.gov.au
	Wangaratta	62-68 Ovens Street, Wangaratta VIC 3677	03 5723 8600	
Loddon Mallee Region	Bendigo	195-229 Lyttleton Terrace, Bendigo VIC 3550	03 5430 4444	permissions.lm@delwp.vic.gov.au
	Swan Hill	324-330 Campbell Street, Swan Hill VIC 3586	03 5036 4800	
Port Phillip Region	Melbourne	609 Burwood Highway, Knoxfield VIC 3180	03 9210 9222	permissions.portphillipregion@delwp.vic.gov.au

Table 8 Contact details of facilities mentioned in this guide

Whale and Dolphin Emergency Hotline	1300 136 017
Healesville Sanctuary Wildlife Hospital	03 5957 2829
AGL Marine Response Unit	1300 245 678 0447 158 676
Phillip Island Nature Parks	03 5951 2800
Emergency Animal Disease Hotline 24 hours	1800 675 888
Report wildlife crime to Crime Stoppers	crimestoppersvic.com.au/report-a-crime 1800 333 000



Appendix 2 Further information

Capture and rescue of injured, sick or orphaned wildlife

Rescuers have a responsibility to ensure handling and capture methods are humane and do not put themselves or others at risk. Capture is stressful for wildlife, and so must be carefully planned and undertaken quickly to avoid further stress or injury.

It is important to always put the safety of rescuers and members of the public first. Always assess possible hazards with each rescue (e.g. dangerous terrain, near a busy road, risk of injury from the animal such as bites or scratches) and put in place measures to minimise these risks (e.g. appropriate protective equipment).

Carefully plan the method of capture

Time spent observing the animal, the escape route it wants to follow, and coordinating your movements is invaluable. Always assess the animal from a distance first, observing using binoculars if possible. This improves your own safety and minimises the possibility of an animal trying to flee and hurt itself further, or escaping. It will also help you confirm whether the animal requires rescuing (i.e. some minor injuries do not need treatment and will heal on their own).

Minimise the time taken to capture the animal

Ideally less than three minutes, to avoid muscle damage.

The following should be considered:

- When the weather is warm, capture should be attempted early morning or late afternoon and should not be conducted during the heat of the day.
- Animals must never be chased over long distances or for long periods of time. For some animals, this can prove fatal.
- If you cannot capture the animal after the first couple of attempts, withdraw and consider using another method of capture.
- Wildlife should be handled calmly, without sudden movements and using the least number of people possible.

- Be firm but gentle when handling the animal and handle it as little as possible. Remember, it is a wild animal and is not used to humans.
- When restraining an animal by hand, use gloves that protect your hands but don't limit your dexterity.
- Always ensure that the animal can breathe and regulate its own temperature when restraining or transporting wildlife.
- Darkened cages and/or blindfolds (e.g. a blanket placed on the animal's head) should be used whenever possible to reduce stress and subdue animals.
- Excessive noise from loud equipment, vehicles or talking should be minimised during rescue and transport.

Please note

Some veterinary drugs, including drugs for sedation, are restricted under the Drugs, Poisons and Controlled Substances Regulations 2017. Restricted drugs must only be administered to wildlife by, or under the **direct** supervision of, a registered veterinary practitioner. Direct supervision means that the veterinary practitioner has seen and assessed the animal and prescribed the medication based on the species, weight and type of illness or injury. Administering restricted veterinary drugs to wildlife without veterinary diagnosis and prescription is illegal.

Check for young

Always check female animals to see if they are lactating or carrying pouch young. If they have a long teat, check the nearby area for young at foot. Taking a mother into care could result in the death of her young who will be left behind to fend for itself.

Record the location

It is important to ensure you record the exact location of where the animal was found and make sure this information remains with the animal until it is ready for release. This will enable the animal to be returned to where it was found and provide it with the greatest chance of survival.

Basic first aid

The aim of first aid is to provide basic and immediate assistance to an injured animal, prior to it receiving veterinary attention. The goal is to address shock and prevent further damage occurring due to broken bones or bleeding wounds. First aid should be administered as soon as possible after capture.

First aid should be provided in the following order:

- 1 Perform an initial brief examination
- 2 Obtain and record the weight of the animal
- 3 Assess the degree of dehydration
- 4 Provide a warm and dark quiet place to treat shock
- 5 Provide fluids
- 6 Apply bandaging

After giving first aid, rescuers should arrange for animals to be assessed by a registered veterinarian or person experienced in diagnosing illness, diseases and injuries in the species as soon as possible to ensure accurate diagnosis and prompt treatment. If this is not possible (e.g. because of the remoteness of the location), expert advice must be sought via telephone or email.

Initial examination

The first step is to examine the animal quickly (but gently) to determine whether its injuries or illness warrant euthanasia, or otherwise determine what treatment may be required, or where a more detailed veterinary assessment is needed (e.g. to check for fractures).

If possible, stand back and quietly observe the animal for a minute. This is a good, low stress way of checking for injuries.

If the animal is experiencing significant pain, distress, trauma or disease that cannot be relieved or if there are severe injuries such as exposed bones or intestines, the animal must be promptly euthanised in accordance with [Conditions 10](#) and [11](#) of your authorisation.

If the animal would not survive without extensive treatment or surgery, and/or is unlikely to recover sufficiently to be self-sufficient in the wild at the location where it was found, it must also be promptly euthanised.

Obtain and record the weight of the animal

The weight of the animal should be obtained to determine:

- If the animal is the correct weight for its age and species
- What amount of fluids are needed to correct dehydration (see below)
- What amount of medication may be required
- What amount of food is required each day

Assess the degree of dehydration

At the time of initial examination, it is important to know the severity of dehydration to identify those animals that may not survive and to provide the correct amount of fluid. Dehydration can be assessed by the degree of skin “tenting”. This is assessed by gently pinching a small amount of the animal’s skin and estimating how long the skin takes to return to its normal position. The longer this takes, the more dehydrated the animal is.

Various animal species have different places to look for evidence of dehydration. [Table 10](#) outlines locations where skin tenting can be carried out to assess dehydration.

Your initial assessment should help you to decide whether the animal requires veterinary attention or if you have the skills and ability to support it. If veterinary assistance is required, try to get it to a veterinarian within 24 hours of rescue to provide the best chance of survival.

Table 9 Determine the severity of dehydration

DEHYDRATION PERCENTAGE	APPEARANCE	TREATMENT	PROGNOSIS FOR SURVIVAL
5%	Animal lively and active. Gums are tacky. Skin tenting takes less than 1 second to fall.	Oral electrolyte solutions.	Good
10%	Lethargic, tacky gums. Skin tenting takes more than 1 – 2 seconds to fall.	May require subcutaneous fluids as well as oral electrolytes.	Moderate
12%	Skin tenting takes more than 2 seconds to fall. Lethargic, loss of consciousness, low body temperature, slow heart rate.	Requires intravenous fluids administered by a veterinarian.	Poor

Table 10 Locations where skin tenting can be carried out

ANIMAL GROUP	SITE TO PINCH SKIN TO ASSESS DEHYDRATION
Birds	Foot and over keel bone
Possum, macropod, flying fox	Over shoulder blades
Wombat, Echidna	Over abdomen
Koala	Over head
Snakes, Water dragons	Along body wall
Turtles	On neck

Provide a warm, dark and quiet place to treat shock

Animals can enter a state of shock following injury or disease. These animals will have cool ears and feet and will not defecate or urinate as the body tries to conserve water.

Animals in shock must be provided with a quiet and dark location following the initial examination, weighing and dehydration assessment. An easy way to provide this is to cover enclosures with a towel. For marsupials, placing them into a pouch will provide a dark location.

You should also make sure the room or enclosure is warmed to a temperature appropriate for the species, although it is preferable to have a heating gradient across the enclosure to allow the animal to move away from the heat if they wish.

While an animal is in a heated enclosure, the temperature of the enclosure should be monitored with a thermometer. The behaviour of the animal should also be monitored to ensure it is comfortable. This is particularly important for animals that are unable to move to ensure the animal does not become too hot or too cold.

Provide fluids

Dehydration will occur with orphaning, injury or shock. For normal digestion and healing to occur, dehydration must be corrected. All animals must be warmed before fluids are given. The fluid itself should also be warmed to the animal's normal body temperature before being given. Suitable temperatures of fluids are:

Reptiles	22 – 28°C
Birds	36 – 38°C
Marsupials	32 – 36°C

The standard approach is to assume that each animal that comes into care is 10% dehydrated. If it is less than 10% dehydrated and you give fluids, the animal will simply urinate more. If the animal is greater than 10% dehydrated you could prevent it from going into shock.

To calculate the amount of fluid to give an animal every 24 hours, use the following formula:

$$\text{Fluid volume to give (in millilitres)} = \text{body weight (in grams)} \times 0.1$$

For example, a 100g Ringtail possum that has entered care due to orphaning will need to be hydrated. How much fluid should be given?

BODY WEIGHT (g) x 0.1	FLUID VOLUME TO GIVE (ml)
100g x 0.1	10ml

Therefore 10ml is the total volume that the Ringtail possum needs in a 24-hour period. This should be broken up into smaller amounts that the possum can accept and be offered throughout the day.

For example, this might be given as 2 – 3ml every 6 hours over a 24-hour period.

Fluids can be given either:

1 By mouth

This route is used for conscious animals that can swallow and move. This is the ideal route and should be used wherever possible. Offer a small amount of water to the side of the mouth and wait for swallowing. Oral rehydration solutions that can be used include:

- Cooled boiled water.
- Oral rehydration fluids, e.g. Vytrate®, Lectade® (Jurox), Gastrolyte®, Spark® (Vetafarm).
- Home-made rehydration fluids, i.e. 1 teaspoon of salt and 1 teaspoon of sugar are dissolved in 1 metric cup of cooled boiled water.

2 Subcutaneous injection

This route is used for depressed animals with poor swallowing reflexes. This route can be performed by wildlife carers after being taught this technique by a veterinarian and involves injection directly into tissue (not veins). Both Hartman's® (compound sodium lactate) and 0.9% saline are fluids that can be given subcutaneously.

Apply bandaging

Bandaging injured wildlife is an important skill that needs to be carefully applied. It can make animals more comfortable but can also cause unnecessary pain and reduced animal welfare or complications to the animal's initial injuries if performed incorrectly.

It is important that carers feel confident that they can bandage an animal appropriately before attempting to do so. Bandages that are placed too tightly can block the blood supply to appendages. Bandages that are placed too loosely will fall off and thus not achieve their purpose.

Table 11 Basic first aid kit for wildlife

ITEM	PURPOSE
500ml or 1L saline solution or Hartman's fluid bags	Flush wounds of debris. Flush eyes. Applied as part of a wet-to-dry dressing.
Gauze squares	Used to clean wounds or applied on bleeding area as part of a pressure bandage.
Cotton tips	Small and large. Used to clean small wounds.
Self-adhesive bandage	(E.g. Vetrap®, Coplus®, Rip Rap®). Used for pressure, immobilisation and dressing bandages in all animal groups.
Crepe bandages	Use limited to larger animals. Non-adhesive and so tape will be needed to hold in place.
Micropore® tape	Used to bandage bird legs, hold dressings in place.
Non-adhesive dressings	(E.g. Melolin®) Used to cover wounds and absorb discharge. Does not stick to wound.
1% Iodine or Chlorhexidine solution	Antiseptic solution used to flush wounds. Effective against bacteria, fungi and yeast on most animal species.
Surgical scissors	Cutting bandages, dressings or fishing line. May be used to trim fur or dead pieces of skin.
Tweezers	Handling sterile items, removing ticks/splinters/foreign objects.
20ml syringes with 18G needle	Used to flush wounds of debris and bacteria.
Thermometer	Used to take the temperature of the animal.

Further information

The *Victorian Wildlife Rehabilitation Guidelines* provide species-specific information for the most common Victorian species that come into care. It provides information about how to capture, handle, assess, care for and release sick, injured or orphaned native wildlife.


If you are unsure of the appropriate first aid treatment for an animal, further advice must be sought from a registered veterinary practitioner or a person experienced in the rehabilitation of the species.

DEECA also recommends that, where possible, wildlife rehabilitators should attend training courses to further develop their skills in wildlife rehabilitation, including first aid. Wildlife rehabilitators can apply for funding from DEECA to undertake training courses through the Wildlife Rehabilitator Grants Program.

More information on the grants program and eligibility criteria can be found on the DEECA website at [wildlife.vic.gov.au/grants/wildlife-rehabilitator-grants](https://www.deeca.vic.gov.au/grants/wildlife-rehabilitator-grants).

Enclosure size

To assist in meeting the requirements of [Condition 14](#), please refer to the following information as a basic guide when determining appropriate enclosure size. To calculate the floor area of a:



Rectangle or square

Length x width = area

For example, you acquired or received a rosella that was 30cm long and you planned to keep it in an indoor enclosure which needs to have a minimum floor area of 5000cm² with a minimum height of 90cm.

Question


You have measured your rectangular/square enclosure and determined that it has a 100cm length, 55cm width and 100cm height. Could you keep the rosella in this enclosure?

To determine the floor area = $100 \times 55 = 5500\text{cm}^2$

Height = 100cm

Answer

Yes, you can keep the rosella in this indoor enclosure as 5500cm² is greater than the minimum floor area requirement and 100cm height is 10cm greater than the height requirement.



Triangle

Base x perpendicular height / 2 = area

For example, you acquired or received a Brushtail Possum which needs to be kept in an enclosure that has a minimum floor area of 10,000cm² and a minimum height of 200cm.

Question

You have measured your triangular enclosure which has a 170cm base length, 105cm perpendicular height and 210cm height. Could you keep the Brushtail Possum in this enclosure?


To determine the floor area = $170 \times 105 = 17,850$

$17,850 / 2 = 8925\text{cm}^2$

Height = 210cm

Answer

No, unfortunately the floor area of your enclosure is too small to keep the Brushtail Possum in even though the height is greater than the minimum requirement.



Circle

(Radius π) x π = area $\pi = 3.142$

For example, you acquired or received a tortoise that was 15cm long and needs to be kept in an enclosure that has a minimum floor area of 20,000cm² and a minimum height of 20cm.

Question

Your circular enclosure has a diameter of 180cm and a 23cm height. Could you keep the tortoise in this enclosure?

To determine the radius from the diameter = $180 / 2 = 90$

To determine the floor area = $90^2 = 90 \times 90 = 8100$

$8100 \times 3.142 = 25,450.2\text{cm}^2$

Height = 23cm

Answer

Yes, the tortoise can be kept in this enclosure as the floor area is greater than 20,000cm² and the height is 3cm greater than the minimum height requirements. Keep in mind that as a tortoise is a reptile, there may also be heating requirements for this animal's enclosure.

Further resources

Capture and first aid	Capture Myopathy	Dr Anne Fowler	fourthcrossingwildlife.com/files/CaptureMyopathy-AnneFowler.pdf
	Recognition of Pain in Wildlife	Free	fourthcrossingwildlife.com/files/RecognitionOfPainInWildlife-AnneFowler.pdf
	Treating Burnt Wildlife		fourthcrossingwildlife.com/files/TreatingBurntWildlife-Anne-Fowler.pdf
Housing and husbandry	Australian Mammals Biology and Captive Management	Stephen Jackson, CSIRO Publishing	publish.csiro.au/pid/3619.htm
First aid to release	Victorian Wildlife Rehabilitation Guidelines	DEECA	wildlife.vic.gov.au

